# **EVALUATING PRIORITIES**

Measuring women's and children's health and well-being against abortion restrictions in the states

## State Brief: Florida

Prepared by:

Bridgit Burns, MPH

Amanda Dennis, DrPH, MBE

Ella Douglas-Durham, MPH

of

Ibis Reproductive Health

## Acknowledgements:

This report is the result of collaboration between Ibis Reproductive Health (Ibis) and the Center for Reproductive Rights (the Center). We are grateful to Kelly Blanchard at Ibis for her oversight on the project. We also acknowledge Sophie Higgins, Courtney Johnson, Katie Johnston, Jessica Nichols, Annie Norman, Mackenzie Sumwalt, and Samantha Xia of Ibis who provided editorial assistance in preparing this report. Angela Hooton, Kelly Baden, and Fran Linkin of the Center provided critical feedback on our project approach. The Center sponsored this project. Views and opinions expressed in this paper are those of the authors and do not necessarily represent the views of the Center.

#### Suggested citation:

Burns B, Dennis A, Douglas-Durham E. Evaluating priorities: Measuring women's and children's health and well-being against abortion restrictions in the states. State brief: Florida. *Ibis Reproductive Health*; December 2014.

## CONTEXT

Since abortion was legalized in the United States (US) in 1973, states have passed hundreds of laws limiting whether, when, and under what circumstances a woman may obtain an abortion.<sup>1</sup> Such attacks on abortion are on the rise; from 2011-2013 states enacted more restrictions than were enacted in the entire previous decade.<sup>2</sup> Anti-choice groups claim these restrictions are necessary to protect and support the health and well-being of women, their pregnancies, and their children, a claim that has become the foundation of many successful proposals to restrict abortion access further.<sup>3</sup>

To support an evidence-based effort to fight back against the onslaught of abortion restrictions, Ibis Reproductive Health and the Center for Reproductive Rights collaborated to evaluate the claims of anti-choice policymakers. We aimed to determine if the concern that anti-choice policymakers say they have for women, pregnancies, and children translates into the passage of state policies known to improve the health and well-being of women and children, or into improved state-level health outcomes for women and children. We also aimed to document how states with relatively few abortion restrictions fare in terms of women's and children's health policies and outcomes. This brief provides a snapshot of the findings detailed in our full report<sup>4</sup> and an in-depth look at our findings for Florida.

#### Florida overview

Florida, located on the southern tip of the US, is very urban, 5,6 and is the 13th poorest state in the

country. Compared to the US as a whole, Florida has a higher proportion of Hispanic and Black residents and a lower proportion of White residents and residents of other races. Floridians tend to be about as religious as other Americans. Its state legislature is strongly anti-choice; Governor Rick Scott (R), the Florida Senate, and the Florida House are all anti-choice.



Florida is home to an estimated 3,782,810 women of reproductive age.<sup>10</sup> The proportion of Florida women who have abortions each year is higher than the national average, as is the percentage of pregnancies ending in abortion.<sup>11</sup> In 2011, there were 88 abortion providers in Florida, leaving 22% of Florida women living in a county with no abortion provider.<sup>11</sup> More detail about Florida can be found in Table 1 below.

Table 1: Key facts about Florida

	Florida	US
Population, n <sup>6</sup>	19,045,000	310,197,000
Population density, people per square mile <sup>5</sup>	351	87
Metropolitan status,% <sup>6</sup>		
Metropolitan	96	84
Non metropolitan	4	16
Race/ethnicity, % <sup>6</sup>		
White	58	63
Black	15	12
Hispanic	22	17
Other	4	8
Median household income, \$7,12	46,175	51,771
Religion, %8,9		
Very religious	38	40
Moderately religious	32	29
Nonreligious	31	31
<b>Abortion rate</b> , per 1,000 women of reproductive age <sup>11</sup>	24	17
Pregnancies ending in abortion, %11	24	18
Women living in county with no abortion provider, %11	22	38

## **METHODS**

We examined state-level policies and outcomes related to the well-being of women and children; our definition of well-being is broad, encompassing health, social, and economic status. We then determined what, if any, relationship exists between those policies and outcomes and state-level restrictions on abortion. This involved: (1) selecting indicators of abortion restrictions, outcomes related to women's and children's health and well-being, and policies that support women's and children's health and well-being, (2) scoring the selected state restrictions, outcomes, and policies, and (3) graphically exploring the relationship between abortion restrictions and women's and children's well-being.

"Indicator" refers to the presence or absence of a policy (either an abortion restriction or a policy to support women's or children's well-being) or a health outcome statistic (e.g., infant mortality rate, prevalence of asthma, etc.).

We selected indicators based on evidence of their importance to the well-being of women and children and the availability of up-to-date, state-level data. We ultimately included 76 indicators in five topic areas: abortion restrictions (14), women's health outcomes (15), children's health outcomes (15), social determinants of health (10), and policies supportive of women's and children's health and well-being (22). The data were collected from a variety of government and nonprofit organizations with expertise in women's and children's health, well-being, and policy.

For each state, we calculated two primary scores: one score for abortion restrictions and one score for overall women's and children's well-being.

- For abortion restrictions, each state was scored 0-14 to reflect the total number of 14 possible abortion restrictions. Any legislation signed into law was counted, including those unenforced due to court challenges. Higher scores indicate more abortion restrictions.
- For overall women's and children's well-being, we calculated scores for each of the four topic areas within women's and children's well-being, then summed the four sub-scores to calculate an overall well-being score. Each state was scored 0 or 1 for each of the selected indicators, for a total possible score of 0-62 (see below for details on how we determined 0 or 1 for indicators in each sub-topic). Higher scores indicate better performance on women's and children's well-being.
- For each indicator in the three health outcome sub-topics (women's health, children's health, and social determinants of health), we determined whether states met a predetermined benchmark, which was set to be moderately but meaningfully better than the national average. Because the national average for selected indicators is often poor relative to other developed countries, the pre-determined benchmarks do not necessarily reflect an "ideal" but rather are meant to be attainable goals for states. A state received a score of 1 if it met or exceeded the benchmark and a 0 if it did not. The score for each subtopic is the number of indicators for which a state met or exceeded the benchmark. Total possible

3

Evaluating Priorities: Measuring Women's and Children's Health and Well-being against Abortion Restrictions in the States State brief: Florida

For a complete list of indicators and data sources, please see our full report, *Evaluating priorities: Measuring women's and children's health and well-being against abortion restrictions in the states. Research report.* 

For more information on how the benchmarks were calculated, please see our full report, *Evaluating priorities: Measuring women's and children's health and well-being against abortion restrictions in the states. Research report.* 

- scores were 0-15 for women's health, 0-15 for children's health, and 0-10 for social determinants of health. Higher scores indicate better performance in that sub-topic.
- For indicators of policies to support women's and children's well-being, each state was scored 0-22 to reflect the total number of 22 possible supportive policies. Higher scores indicate more policies supporting women's and children's well-being.

To examine the relationship between abortion restrictions and women's and children's health and well-being, we created a series of scatter plots, comparing states' abortion restriction scores against their total scores on overall women's and children's well-being, as well as against their scores on each of the sub-topics (women's health, children's health, social determinants of health, and supportive policies).

## **RESULTS**

We obtained data on all 76 indicators for all 50 states and the District of Columbia.

## Abortion restrictions

Of the 14 abortion restrictions included in this analysis, Florida had 11, ranking it the 18<sup>th</sup> most restrictive state in terms of abortion, tied with seven other states (Arkansas, Georgia, Idaho, Michigan, Pennsylvania, Tennessee, and Wisconsin).

Table 2: Abortion restrictions

Abortion restrictions	Yes	No
Parental involvement before a minor obtains an abortion	✓	
Mandatory waiting periods between time of first appointment and abortion		Χ
Mandatory counseling prior to abortion	✓	
Requirement to have or be offered an ultrasound	$\checkmark$	
Restrictions on abortion coverage in private health insurance plans	✓	
Restrictions on abortion coverage in public employee health insurance plans		Χ
Restrictions on abortion coverage in Medicaid	✓	
Only licensed physicians may perform abortions	$\checkmark$	
Ambulatory surgical center standards imposed on facilities providing abortion	✓	
Hospital privileges or alternative arrangement required for abortion providers	$\checkmark$	
Refusal to provide abortion services allowed	✓	
Gestational age limit for abortion set by law	✓	
Restrictions on provision of medication abortion		Χ
Below average number of providers (per 100,000 women aged 15-44)	✓	
Total number of restrictions	11	

## Women's and children's well-being

Florida performed poorly on indicators of women's and children's health and socioeconomic well-being. With a total score of 11, Florida ranked 46<sup>th</sup> on overall women's and children's well-being, tied with Alabama and Arizona. Only Oklahoma, Arkansas, and Indiana had lower scores.

## Women's Health

Florida performed especially poorly on indicators of women's health. Along with Arkansas, New Mexico, and Oklahoma, Florida fell in last place and did not meet the benchmark for any of the 15 women's health outcome indicators evaluated.

Table 3: Women's health

				<u>FL m</u>	FL meets	
				<u>benct</u>	<u>nmark</u>	
Women's health indicators	FL	US	Benchmark	Yes	No	
Cervical cancer screening rate, % of	80.4	80.9	82.5 or ↑		X	
women (range)		(73.2-88.9)				
Women without health insurance,	29.0	21.0	17.9 or ↓		Χ	
% of women (range)		(5.0-33.0)				
Women with no personal health care	23.2	17.3	14.7 or ↓		Χ	
provider, % of women (range)		(8.0-26.8)				
Maternal mortality ratio, deaths per	14.8	12.1	9.0 or ↓		Χ	
100,000 live births (range)		(1.2-38.2)				
Women reporting poor mental health,	41.0	40.1	38.4 or ↓		Χ	
% of women (range)		(30.1-46.1)			.,	
Suicide deaths, per 100,000 women	7.8	6.1	5.0 or ↓		Χ	
(range)		(2.6-12.5)	- 4 -			
Prevalence of overweight or obesity, %	56.1	56.6	54.5 or ↓		Χ	
of women (range)	15.0	(47.0-66.4)	146		V	
Smoking prevalence, % of women	15.8	16.4	14.6 or ↓		Χ	
(range)	41.0	(9.2-27.6)	41 =			
Prevalence of sexual violence, % of	41.8	44.6	41.5 or ↓		Χ	
women (range)	100	(28.9-58.0)	0.0		V	
Asthma prevalence, % of women	10.0	10.7	9.9 or ↓		Χ	
(range)	FO 0	(7.3-14.1)	45.0		V	
Proportion of pregnancies unintended,	59.0	49.0	45.9 or ↓		Χ	
% of pregnancies (range)	12.2	(37.0-70.0)	11 1		V	
Preterm birth rate, % of live births	13.3	12.0	11.1 or ↓		Χ	
(range)	8.7	<i>(8.4-17.6)</i>	7 5 or 1		X	
Prevalence of low birth weight, % of	0.7	8.1 <i>(5.7-12.1)</i>	7.5 or ↓		^	
live births (range)	571.4	643.3	546 2 or 1		Χ	
Chlamydia incidence, per 100,000 women (range)	5/1.4	643.3 (322.2-1,358.6)	546.2 or ↓		^	
	33.2	19.0	6.6 or 1		X	
HIV incidence, per 100,000 women	33.2		6.6 or ↓		^	
(range)		(2.3-177.9)				

Number of indicators meeting benchmark

## Children's Health

Florida performed poorly on indicators of child health. The state met the benchmark for only two of the 15 child health outcome indicators evaluated. Compared to other states, Florida ranked 40<sup>th</sup> of 51 and had the third-lowest score on child health, tied with Alabama, Arizona, Georgia, Indiana, Mississippi, and North Carolina. Only five states (Louisiana, Nevada, Oklahoma, South Carolina, and Texas) had a lower score.

Table 4: Children's health

Children's bealth indicators	FL	US	Benchmark	FL meets benchmark Yes No
Children's health indicators Children with health insurance, percent	86.9	91.1	92.9 or ↑	Yes No X
of children (range)	80.9	(81.7-97.9)	92.9 OI	^
Children with a medical home, percent	56.8	57.5	60.3 or ↑	X
of children (range)		(45.4-69.3)	2012 0.	
Children who had both medical and	60.1	68.1	71.2 or ↑	Х
dental preventive visits in the past 12		(56.0-81.4)		
months, percent of children (range)				.,
Infants exclusively breastfed for six	10.6	16.4	19.3 or ↑	X
months, percent of children (range)	60.6	(4.1-27.4)	70.0 ~ * ^	V
Children receiving complete vaccination, percent of children (range)	68.6	68.4 <i>(59.5-80.2)</i>	70.9 or ↑	X
Children with emotional,	57.7	61.0	65.1 or ↑	Χ
developmental, or behavioral problems	37.7	(40.4-86.3)	00.1 01	<b>X</b>
that received needed care, percent of		(10.100.0)		
children (range)				
Infant mortality rate, per 100,000	690.4	638.7	573.5 or ↓	Х
infants (range)		(423.6-989.5)		
Child mortality rate, per 100,000	18.0	17.0	14.6 or ↓	X
children (range)	10.0	(9.0-30.0)	41.0	V
Teen mortality rate, per 100,000 teens	49.0	49.0	41.8 or $\downarrow$	X
(range) Children overweight or obese, percent	27.5	<i>(29.0-85.0)</i> 31.3	29.2 or ↓	<b>√</b>
of children (range)	27.5	31.3 (22.1-39.8)	29.2 01 ↓	•
Children living with someone who	24.6	24.1	21.3 or ↓	Х
smokes, percent of children (range)	2 1.0	(12.4-41.0)	21.0 0. 1	,
Confirmed cases of child maltreatment,	13.0	9.0	6.7 or ↓	X
per 1,000 children (range)		(1.0-23.0)	·	
Children with asthma problems,	10.0	9.0	7.9 or ↓	X
percent of children (range)		(4.0-16.0)		, , , , , , , , , , , , , , , , , , , ,
Teen alcohol or drug abuse, percent of	5.96	6.5	6.1 or ↓	✓
teens (range)	00.0	(4.7-9.2)	04.7	V
Teen birth rate, per 1,000 female teens	28.0	29.0	24.7 or ↓	X
(range)		(14.0-47.0)		

Number of indicators meeting benchmark

2

## Social Determinants of Health

Florida performed very poorly on social determinants of health. The state met the benchmark for only one of the ten indicators. This score ranked Florida in second-to-last place, tied with ten other states. Arkansas, Arizona, and Tennessee were the only states that met fewer benchmarks on this subtopic than Florida, and had a score of zero for social determinants of health.

Table 5: Social determinants of health

				<u>FL me</u>	<u>ets</u>
				<u>benchr</u>	<u>nark</u>
Social determinants of health	FL	US	Benchmark	Yes	No
Women participating in the labor force, percent of women (range)	55.4	58.8 <i>(49.6-66.9)</i>	60.7 or ↑		Х
Women's earnings, % of men's earning (range)	85.0	78.6 <i>(64.0-92.3)</i>	81.2 or ↑	✓	
On-time high school graduation, percent of students (range)	70.8	78.2 <i>(57.8-91.4)</i>	81.8 or ↑		X
Women in poverty, percent of women (range)	20.0	20.0 <i>(10.0-27.0)</i>	18.1 or ↓		Χ
Children in poverty, percent of children (range)	25.0	23.0 <i>(13.0-35.0)</i>	20.4 or ↓		Χ
Household food insecurity, percent of households (range)	14.8	14.7 <i>(8.7-20.9)</i>	13.5 or ↓		Χ
Children aged 3-5 not enrolled in preschool or kindergarten, percent of children (range)	38.0	40.0 <i>(17.0-54.0)</i>	36.5 or ↓		X
Homelessness rate, per 10,000 population (range)	28.9	20.3 <i>(8.1-112.5)</i>	12.2 or ↓		X
Unemployment rate, percent of labor force (range)	6.2	6.3 <i>(2.6-8.3)</i>	5.6 or ↓		Χ
Violent crime rate, per 100,000 population (range)	487.1	386.9 <i>(122.7-1243.7)</i>	297.5 or ↓		X

Number of indicators meeting benchmark


## Supportive Policies

Florida performed below average on policies that support women's and children's well-being. Of the 22 policies included in this analysis, Florida had eight. This score placed the state 31<sup>st</sup> out of 51, tied with Louisiana, Montana, Oklahoma, and Utah.

Table 6: Supportive policies


Supportive policies	Yes	No
Improving access to health care		
Moving forward with the Affordable Care Act's Medicaid Expansion		Χ
Allows telephone, online, and/or administrative renewal of Medicaid/CHIP	✓	
Requires domestic violence protocols, training, or screening for health care	✓	
providers		
Supporting pregnant women		
Medicaid income limit for pregnant women is at least 200% of the federal		Χ
poverty line		
Has expanded family/medical leave beyond the FMLA		Χ
Provides temporary disability insurance		Χ
Maternal mortality review board in place	✓	
Requires reasonable accommodations for pregnant workers		Χ
Prohibits or restricts shackling pregnant prisoners	✓	
Promoting children's and adolescents' health, education, and safety		
Allows children to enroll in CHIP with no waiting period		Χ
Requires physical education for elementary, middle, and high school	✓	
Mandates sex education		Χ
Mandates HIV education		Χ
Has broad eligibility criteria for Early Intervention services for children at risk of developmental delay	✓	
Initiative(s) to expand Early Head Start in place		Χ
Requires districts to provide full-day kindergarten without tuition		Χ
Has firearm safety law(s) designed to protect children	✓	
Supporting families' financial health		
Allows families receiving TANF to keep child support collected on their behalf		Х
State minimum wage is above the federal minimum	✓	
Income limit for child care assistance is greater than 55% of state median		Χ
income		
Does not have a family cap policy or flat cash assistance grant		Χ
Promoting a healthy environment		
Requires worksites, restaurants, and bars to be smoke free		Х
Total number of supportive policies	8	

Florida's lack of supportive policies is consistent with the overall trend we observed of states with more abortion restrictions having fewer evidence-based policies that support women and children (see Figure 1).



## Relationship between abortion restrictions and well-being

Florida, one of the more restrictive states in the country for abortion, performed poorly across indicators of women's health, children's health, social determinants of health, and policies supportive of women's and children's well-being. This is consistent with the overall trend we observed that the more abortion restrictions present, the worse a state scored overall on indicators of women's and children's well-being (see Figure 2).



## DISCUSSION

This analysis shows that, compared to other states, Florida has a large number of abortion restrictions. This is troubling as a large body of scientific evidence documents that restricting abortion is not beneficial to women and can interfere with women's reproductive decision-making, increase the risks of the abortion procedure by forcing women to delay desired health care, and lead to a number of emotional and financial harms. Despite the existing evidence base, Florida policymakers have continued to pass legislation restricting abortion access.

We also found that, compared to other states, Florida has poor outcomes on women's and children's well-being. The indicators of women's health, children's health, and social determinants of health included in this analysis are widely accepted indicators of health status. 20-22 There is also considerable evidence of the benefits to women and children of putting in place the supportive policies we evaluated and of addressing major social determinants of health. <sup>23-25</sup> Such benefits include improved health and safety, lower poverty rates, decreased reliance on public assistance, and better developmental and educational outcomes for children. 4 While Florida has enacted some policies that support women and children, the state's policies are lacking in all of the areas we evaluated. More policies are needed to improve access to health care; support pregnant women; promote children's and adolescents' health, education, and safety; support families' financial health; and promote a healthy environment. Moreover, Florida's decision not to expand Medicaid under the Affordable Care Act will leave close to half a million women in the state without access to affordable health care coverage. <sup>26</sup> Compared to other states, women and children in Florida have poorer health outcomes and face greater challenges in their social and economic contexts; efforts to address social determinants of health and improve women's and children's health are clearly needed.

These data help dismantle the claim that anti-choice policymakers are working to protect and support the health and lives of women, their pregnancies, and their children, as there is little evidence of this in Florida's state policies or state-level health outcomes.

Our analysis does have some limitations. While we made every effort to select the most meaningful, evidence-based indicators, any attempt to analyze a concept as broad as women's and children's well-being is a simplification. Specifically, we did not adjust for poverty, which has been shown to

play a major role in women's and children's well-being,<sup>27</sup> and is associated with other social issues that may play a role in our findings, such as racism<sup>28</sup> and sexism.<sup>29</sup> However, as detailed in our full report, the data suggest that while household income (an incomplete, but important indicator of poverty<sup>30</sup>) does play a role in our findings, it cannot explain all of the differences observed between states. Florida, for example, has a below average median household income, ranking as the country's 13<sup>th</sup> poorest, yet it performed worse overall than eight of the ten poorest states in the country. Among the poorest states in the country, those with many abortion restrictions had lower scores than those with fewer restrictions.

Additionally, our simple yes/no scoring methodology is limited in its ability to detect the degree of variation in states' health outcomes and does not account for differences in specific policies across states (e.g., 24-hour vs. 72-hour waiting periods prior to an abortion). Nevertheless, we feel this simple approach is also a strength because it facilitates understanding and replicability of our analysis, and makes the information accessible to policymakers and advocates.<sup>31</sup>

Ultimately, we used a straightforward approach to evaluate lawmakers' stated aims to improve the well-being of women, their pregnancies, and their children. Our results show a disconnect between these aims and the policies implemented, emphasizing the need to ensure policies designed to affect well-being are founded on evidence. To ensure better population outcomes, Florida policymakers must focus on implementing policies shown to improve the well-being of women and children, and not on restricting access to needed health care services such as abortion.

#### REFERENCES

- 1. NARAL Pro-Choice America. Who decides? The status of women's reproductive rights in the United States, 23rd edition. *NARAL Pro-Choice America*; January 2014. Available at: <a href="http://bit.ly/RAx1CL">http://bit.ly/RAx1CL</a>. Accessed June 26, 2014.
- 2. Nash E, Gold RB, Rowan A, Rathbun G, Vierboom Y. Laws affecting reproductive health and rights: 2013 state policy review. *Guttmacher Institute*; 2014. Available at: <a href="http://bit.ly/1iOpHK8">http://bit.ly/1iOpHK8</a>. Accessed June 26, 2014.
- 3. National Right to Life Committee. The state of abortion in the US. *National Right to Life Committee, Inc.*; January 28, 2014. Available at: <a href="http://bit.ly/1iG7Swo">http://bit.ly/1iG7Swo</a>. Accessed June 26, 2014.
- 4. Burns B, Dennis A, Douglas-Durham E. Evaluating priorities: Measuring women's and children's health and well-being against abortion restrictions in the states. Research report. *Ibis Reproductive Health*; September 2014.
- 5. United States Census Bureau. Statistical abstract of the United States: 2012. Available at: <a href="http://l.usa.gov/ljjG1IR">http://l.usa.gov/ljjG1IR</a>. Accessed June 26, 2014.
- 6. The Henry J Kaiser Family Foundation. State health facts: Demographics and the economy. Available at: <a href="http://bit.ly/1nAeAvS">http://bit.ly/1nAeAvS</a>. Accessed June 26, 2014.
- 7. United States Census Bureau. Three-year-average median household income by state, 2010 to 2012. Current Population Survey, 2011 to 2013. Available at: <a href="http://l.usa.gov/lnFiwc5">http://l.usa.gov/lnFiwc5</a>. Accessed June 26, 2014.
- 8. Newport F. State of the States: Mississippi Maintains Hold as Most Religious US State. *Gallup*; February 13, 2013. Available at: <a href="http://bit.ly/1m0m041">http://bit.ly/1m0m041</a>. Accessed June 26, 2014.
- 9. Newport F. Seven in 10 Americans are very or moderately religious. *Gallup*; December 4, 2012. Available at: <a href="http://bit.ly/liG80fl">http://bit.ly/liG80fl</a>. Accessed June 26, 2014.
- 10. Guttmacher Institute. State data center: Population estimates among all women aged 13-44, 2010. Available at: <a href="http://bit.ly/1jjF4tQ">http://bit.ly/1jjF4tQ</a>. Accessed June 26, 2014.
- 11. Guttmacher Institute. State facts about abortion: Florida. Available at: <a href="http://bit.ly/U0F65B">http://bit.ly/U0F65B</a>. Accessed June 26, 2014.
- 12. United States Census Bureau. Selected economic characteristics, 2010-2012 American Community Survey 3-Year estimates. Available at: <a href="http://l.usa.gov/liG8cvi">http://l.usa.gov/liG8cvi</a>. Accessed June 26, 2014.
- 13. Dennis A, Henshaw SK, Joyce TJ, Finer LB, Blanchard K. The impact of laws requiring parental involvement for abortion: A literature review. *Guttmacher Institute*; March 2009. Available at: http://bit.ly/1kPk0B7. Accessed June 26, 2014.
- 14. Henshaw SK, Joyce TJ, Dennis A, Finer LB, Blanchard K. Restrictions on Medicaid funding for abortions: A literature review. *Guttmacher Institute*; June 2009. Available at: <a href="http://bit.ly/lalMlcA">http://bit.ly/lalMlcA</a>. Accessed June 26, 2014.
- 15. Joyce TJ, Henshaw SK, Dennis A, Finer LB, Blanchard K. The impact of state mandatory counseling and waiting period laws on abortion: A literature review. *Guttmacher Institute*; April 2009. Available at: <a href="http://bit.ly/1pFcVmg">http://bit.ly/1pFcVmg</a>. Accessed June 26, 2014.
- 16. Chibber K, Foster D. Receiving versus being denied an abortion and subsequent experiences of intimate partner violence. APHA Annual Meeting & Expo; October 30, 2012; San Francisco.
- 17. Foster D, Dobkin L, Biggs M, Roberts S, Steinberg J. Mental health and physical health consequences of abortion compared to unwanted birth. APHA Annual Meeting & Expo; October 30, 2012; San Francisco.
- 18. Foster D, Roberts S, Mauldon J. Socioeconomic consequences of abortion compared to unwanted birth. APHA Annual Meeting & Expo; October 30, 2012; San Francisco.
- 19. Grossman D, Holt K, Peña M, et al. Self-induction of abortion among women in the United States. *Reproductive Health Matters.* 2010;18(36):136-146.
- 20. HealthyPeople.gov. Healthy People 2020 topics & objectives. Available at: <a href="http://1.usa.gov/1gvzd4z">http://1.usa.gov/1gvzd4z</a>. Accessed June 26, 2014.

- 21. Countdown to 2015, Health Metrics Network, World Health Organization. Monitoring maternal, newborn and child health: Understanding key progress indicators. 2011. Available at: http://bit.ly/RAyBo7. Accessed June 26, 2014.
- 22. Annie E. Casey Foundation. Kids Count. Available at: <a href="http://bit.ly/1uUBqjF">http://bit.ly/1uUBqjF</a>. Accessed June 26, 2014.
- 23. National Women's Law Center. Health care report card: Policy indicators. Available at: http://bit.ly/1iJUM5E. Accessed June 26, 2014.
- 24. Institute for Women's Policy Research. Initiatives. Available at: <a href="http://bit.ly/1uUBZtu">http://bit.ly/1uUBZtu</a>. Accessed June 26, 2014.
- 25. HealthyPeople.gov. Healthy People 2020 topics & objectives: Social determinants of health. Available at: http://l.usa.gov/lkyvOJb. Accessed June 26, 2014.
- 26. National Women's Law Center. Mind the gap: Low-income women in dire need of health insurance. *National Women's Law Center*; 2014. Available at: <a href="http://bit.ly/KZWq5f">http://bit.ly/KZWq5f</a>. Accessed July 1, 2014.
- 27. Duncan GJ, Yeung WJ, Brooks-Gunn J, Smith JR. How much does childhood poverty affect the life chances of children? *American Sociological Review.* 1998;63(3):406-423.
- 28. Williams DR. Race, socioeconomic status, and health: The added effects of racism and discrimination. *Annals of the New York Academy of Sciences*. 1999;896(1):173-188.
- 29. Belle Doucet D. Poverty, inequality, and discrimination as sources of depression among US women. *Psychology of Women Quarterly.* 2003;27(2):101-113.
- 30. Nolan B, Whelan CT. Resources, deprivation, and poverty. Oxford University Press; 1996.
- 31. Reisman J, Gienapp A, Stachowiak S. A guide to measuring advocacy and policy. *The Annie E. Casey Foundation*; December 5, 2007. Available at: <a href="http://bit.ly/1h6PBXX">http://bit.ly/1h6PBXX</a>. Accessed June 26, 2014.